

# 23. numAB2: 1A2B猜數字遊戲之二（換電腦來猜）

## 23.1 Project Description

- 設計一個由電腦來猜數字的1A2B猜數字遊戲

## 23.2 Source Code

```
#include <stdio.h>
#include <stdlib.h>
#include <time.h>

#define numlong 4
#define maxAnswers 10000

int guess[numlong];
int answer[numlong];

int possibleAnswers[maxAnswers][numlong];

int pivot= (maxAnswers-1);

int QWQ=1;
int A, B;
int checkA, checkB;
int cur=0;

void initial();

void getUserGuess();
int checkAGuess();
void showAnAnswer(int);
int checkDup(int);
void swap2PossibleAnswers(int, int);
void moveAPossibleAnswer(int, int);
void makeAGuess();
void updatePossibleAnswers();

int main()
{
```

```
int quit =0;
int qq=0;
int count = 0;

initial();

while(!quit)
{

    cur = makeAGuess();

    printf("A=?");
    scanf("%d", &A);

    printf("B=?");
    scanf("%d", &B);

    if(A==numlong)
    {
        printf("....^_^.\\n");
        quit=1;
    }

    updatePossibleAnswers();

}

printf("GoodBye\\n!");

}

void updatePossibleAnswers()
{
    i=0;
    while(i < pivot)
    {
        if(i!=cur)
        {
            checkAB(cur,i);
            if ((A != checkA )||(B != checkB))
            {
                moveAPossibleAnswer(pivot, i);
                pivot--;
            }
            else
            {
                i++;
            }
        }
    }
}
```

```
}

void makeAGuess()
{
    int r;
    srand(time(NULL));
    r = rand() % pivot;
    printf("pivot=%d rand=%d\n", pivot,r);
    printf("I guess the answer is ");
    showAnAnswer(r);
}

void showAnAnswer(int x)
{
    int i=0;
    for(i=0; i< numlong; i++)
    {
        printf("%d", possibleAnswers[x][i]);
    }
    printf("\n");
}

void initial()
{
    int i;

    for(i=0;i<maxAnswers;i++)
    {
        possibleAnswers[i][3] = ((int)(i / 1)) % 10;
        possibleAnswers[i][2] = ((int)(i / 10)) % 10;
        possibleAnswers[i][1] = ((int)(i / 100)) % 10;
        possibleAnswers[i][0] = ((int)(i / 1000)) % 10;
    }

    i=0;
    while( i < pivot)
    {

        if( checkDup(i) )
        {
            moveAPossibleAnswer(pivot, i);
            pivot--;
        }
    }
}
```

```
    else
    {
        i++;
    }

}

void moveAPossibleAnswer(int f, int t)
{
    int i;
    for(i=0;i<numlong;i++)
    {
        possibleAnswers[t][i]=possibleAnswers[f][i];
    }
}

int checkDup(int x)
{
    int i,j=0;

    for(i = 0;i< numlong-1;i++)
    {
        for(j = i+1;j<numlong;j++)
        {
            if (possibleAnswers[x][i] == possibleAnswers[x][j])
            {
                return 1;
            }
        }
    }
    return 0;
}

void getUserGuess()

{
    int i,q,w;
    int ck=0;
    while(!ck)
    {
        printf("input number:");
        for(i=0;i<numlong;i++)
        {
            scanf(" %c", &guess[i] );
        }

        for(i=0;i<numlong;i++)
        {
```

```
guess[i]-=48;
}
if((guess[0]==guess[1])||(guess[0]==guess[2])||(guess[0]==guess[3])
{
printf("retry!!\n");
QWQ=0;

}
else
{
    QWQ=1;
    ck=1;
}
}

int checkAGuess()

{
int a=0,b=0,i,j;

for(i=0;i<numlong;i++)
{
    for(j=0;j<numlong;j++)
    {
        if((guess[i]==answer[j])&&(i==j))
        {
            a++;
            break;
        }
        else if(guess[i]==answer[j])
        {
            b++;
            break;
        }
    }
    printf("....%dA %dB\n",a,b);

    if(a==4)
        return 1;
    else
        return 0;
}
```

From:

<https://junwu.nptu.edu.tw/dokuwiki/> - Jun Wu的教學網頁

國立屏東大學資訊工程學系

**CSIE, NPTU**

Total: 195513



Permanent link:

<https://junwu.nptu.edu.tw/dokuwiki/doku.php?id=c:projects:numab2>

Last update: **2019/07/02 15:01**