Git 學習資源 點我

# 安裝-Git

1. 前往Git網站,點擊[Download for Windows]]



2. 再按下[Click here to download][]



3. 等候下載完畢,打開安裝程式,後續可以都以預設的選項持續按下[Next]]以下安裝畫面過程提供參

#### 考



🚸 Git 2.46.0 Setup —	-		×
Select Destination Location Where should Git be installed?			<b>&gt;</b>
Setup will install Git into the following folder.			
To continue, click Next. If you would like to select a different folder, click	Brows	e.	
C:\Program Files\Git	Brow	se	
At least 339.6 MB of free disk space is required.			
https://gitforwindows.org/		Cano	el

	-		×
Select Components Which components should be installed?			>
Select the components you want to install; clear the components y install. Click Next when you are ready to continue.	ou do not	want to	
Additional icons			
On the Desktop		1	
Windows Explorer integration			
🛄 🔽 Open Git GUI here			
Git LFS (Large File Support)			
Associate .git* configuration files with the default text editor			
Associate .sh files to be run with Bash			
Check daily for Git for Windows updates			
(NEW!) Add a Git Bash Profile to Windows Terminal			
Current selection requires at least 339.6 MB of disk space.			_
https://aitforwindows.org/			
	1		
<u>B</u> ack N	ext	Can	cel

🚸 Git 2.46.0 Setup	-		×
Select Start Menu Folder Where should Setup place the program's shortcuts?			>
<ul> <li>Better will create the program's shortcuts in the following Star</li> <li>Better will create the program's shortcuts in the following Star</li> </ul>	t Menu	folder.	
To continue, click Next. If you would like to select a different folder, cli	ick Brov	/se.	
<u>St</u>	Bro	wse	
Don't create a Start Menu folder			
<u>B</u> ack <u>N</u> ext		Cano	el

#### 4. 此步驟可以選擇自己習慣的文字編輯工具。



5. 預設分支需要更選項並設定為main(舊版gitlab為master)[]

<ul> <li>Git 2.46.0 Setup</li> <li>Adjusting the name of the initial branch in new repositories</li> </ul>	-		>
What would you like Git to name the initial branch after "git init"?			4
○ Let Git decide			
Let Git use its default branch name (currently: "master") for in newly created repositories. The Git project i <u>ntends</u> to char a more inclusive name in the near future.	the initial ige this de	branch efault to	
• Override the default branch name for new repositorie	es		
NEW! Many teams already renamed their default branches; are "main", "trunk" and "development". Specify the name "git for the initial branch:	common d : init" shou	hoices uld use	
main			
This setting does not affect existing repositories.			
ps;//gitforwindows.org/			

#### 6. 保持按下[Next]]]以下安裝畫面過程提供參考



🚸 Git 2.46.0 Setup	-		×
Choosing the SSH executable Which Secure Shell dient program would you like Git to use?			
O Use bundled OpenSSH			
This uses ssh.exe that comes with Git.			
◯ Use (Tortoise)Plink			
To use PuTTY, specify the path to an existing copy of (Tortois	se)Plink.e	exe:	
Set ssh.variant for Tortoise Plink Use external OpenSSH			
NEW! This uses an external ssh.exe. Git will not install its own (and related) binaries but use them as found on the PATH.	OpenSS	н	
https://gitforwindows.org/			
Back	ext	Car	ncel



🚸 Git 2.46.0 Setup	-		×
Configuring the line ending conversions How should Git treat line endings in text files?		•	
O Checkout Windows-style, commit Unix-style line endin	gs		
Git will convert LF to CRLF when checking out text files. When text files, CRLF will be converted to LF. For cross-platform pro this is the recommended setting on Windows ("core.autocrif" is	commit jects, s set to	ing "true").	
O Checkout as-is, commit Unix-style line endings			
Git will not perform any conversion when checking out text file committing text files, CRLF will be converted to LF. For cross- this is the recommended setting on Unix ("core.autocrlf" is set	s. Wher datform to "inpu	n projects, t").	,
○ Checkout as-is, commit as-is			
Git will not perform any conversions when checking out or com text files. Choosing this option is not recommended for cross- projects ("core.autocrif" is set to "false").	mitting platform		
Back Ne	xt	Car	ncel

[Git]





🚸 Git 2.46.0 Setup	-		×
Configuring extra options Which features would you like to enable?			<b>&gt;</b>
<ul> <li>Enable file system caching</li> <li>File system data will be read in bulk and cached in memory for coperations ("core.fscache" is set to "true"). This provides a sign performance boost.</li> <li>Enable symbolic links</li> <li>Enable symbolic links (requires the SeCreateSymbolicLink permis Please note that existing repositories are unaffected by this set that exist exis</li></ul>	ertain hificant ssion). tting.		
Back	t	Car	ncel

7. 按下[install]並等待git下載完成。

♦ Git 2.46.0 Setup - □ ×
Configuring experimental options These features are developed actively. Would you like to try them?
Enable experimental support for pseudo consoles.
This allows running native console programs like Node or Python in a Git Bash window without using winpty, but is unfortunately not quite stable yet.

🚸 Git 2.46.0 Setup	– 🗆 X		
Installing Please wait while Setup installs Git on your computer.	*		
Extracting files W: \Git\mingw64\pin\ibp11-kit-0.dll			
		👌 Git 2.46.0 Setup	×
			Completing the Git Setup Wizard
			Setup has finished installing Git on your computer. The application may be launched by selecting the installed shortcuts.
			Click Finish to exit Setup.
			Launch Git Bash
ncps,//git.orwindows.org/	Cancel		View Release Notes

Back

Install

Cancel



# [GitLab]

相關帳號已建置,帳號:cbb???XXX(學號);信箱cbb???XXX@nptu.edu.tw(Gmail)[[但無預設密碼無法登入。

# 登入系計中-GitLab(第一次登入)

1. 請連上資工系計中GitLab網站,並按下[忘記密碼?]/[Forgot your password?]]

https://gitforwindows.org/

忘記密碼?

NPTU CSIE GitLab	→
A complete DevOps platform	使用者名稱或主要電子郵件地址
GitLab is a single application for the entire software development lifecycle. From project planning and source code management to CI/CD, monitoring, and security.	密碼
服務公告	
2024/01/19 2023學年度軟體工程課程所使用之帳號已經停用。如需取得資料請 於一個月內聯繫 sa@csie2.nptu.edu.tw	□ 記住帳號
	登入

2. 在電子郵件欄位輸入自己的學校 Google Gmail信箱 (e.g. cbb113100@nptu.edu.tw)後,按下[重設 密碼]。



#### 3. 現在前往學校Gmail郵件收件,找到GitLab郵件。

M Gmail	Q is:starred	× 幸	● 線上 × ⑦ 谗 ⅲ
ℓ 撰寫	● 「「「「「」」「「「」」「「」」「「」」「「」」「「」」「」」「「」」「」」「	有附件 ) (收件者 ▼) 進階援尋	
☑ 收件匣	4 C :		1-1 列 (共 1 列)
★ 已加星號	🗆 🌟 GitLab	收件匣 Account was created for you - Hi bbb113020! The Administrator created an account	nt for you. Now you are a member of the company GitLab application. login
③ 已延後			
▶ 寄件備份			
草稿			

4. 按下郵件中的[重設密碼]/[Resetpassword][]將跳轉頁面返回至GitLab網站,輸入你要設定的新密碼, 兩個欄位[新密碼]/[New password]與[重設新密碼]/[Confrim new password]都輸入要為帳號設定的 密碼,輸入完成後按下[變更您的密碼]/[Change your password][]



沒有收到確認郵件? 請求一個新的 已經有帳號了嗎? 登入

5. 這時候使用剛剛修改的新密碼與學號作為帳號密碼,按下[登入]/[Sign in]]

		1	
		使用者名稱或主要電子郵件地址	
		cbb113100	]
		密碼	
		••••••	]
		忘記密碼?	
		] 記住帳號	
	ſ	登入	
	L		
	Your work / Groups		
Q Search or go to		Groups	Explore group
Your work		S < Search or filter results	Q Created date ~ 1F
Projects     So Groups		> \$* S Software-Engineering	\$* 4 ( <b>)</b> 0 86 4
D' Issues			
11 Merge requests >			
I To-Do List			
♦ Milestones			
X Snippets	0		
③ Activity	2		

#### 查看-Groups-群組-與-Repository-儲存庫

1. 登入後,左邊選單點選[Groups]查看所有Group與相關資訊在這邊會看得到自己所屬於的Group 為Gxx(這邊舉例為G00)[]

₩		+ 💮	Your work / Groups		
D	22	Ø		Groups	Explore groups
Q	Search or go to	D		•	
Your work	k			Search or filter results	Q Created date ∽ ↓₹
Proje	ects		_		
° Grou	ips			✓ % Software-Engineering ⊕	S● 4 [] 0 86 4
D' Issue	es		-		8•6 Q10 &81
រែ Merg	ge requests	>		8• G G01 ☆ (Maintainer)	\$•0 Q10 882 ₿
🗹 To-D	o List				)
Miles	stones			6 G GOO (Reporter	°•0 Q12 862
ι Snip	pets				
🕚 Activ	vity				

2. 點進去後可以看到自己組別的所有儲存庫。

1		<b>2</b>	ngineering / 2024-Fall-SE / <b>000</b>
your work /	Groups	C Search or go to	G G00 0
D U B	Groups	Group	Subgroups and projects Shared projects Inactive
Q. Search or go to	Due Courts of Records	<b>G</b> G00	Search (2 character minimum)
Projects	Search or titler results	X Pinned ~	Search (3 character minimum)
% Groups		Issues	E examples T
D Issues	> 3* 2 2024-Fall-SE ⊕	Merge requests 0	C F ezPaint D
To-Do List	3. G GOO (Maintainer)	රිරි Manage >	
♦ Milestones		🗇 Plan >	
X Snippets		Code >	
③ Activity			
		Deploy	
		Operate >	

### 下載GitLab的Repository

## Command Line Interface(CLI)

1. 建立一個要存放的資料夾。

workSpace	•		× +					-		×
$\leftarrow  \rightarrow$	$\uparrow$	C	◇ 開始備份 >	workSpace				搜尋 workSpace		۹
⊕ 新増 ∨	*		î () ()	前 ↓ 排序 ~	☰ 檢視 ~				🗋 詳細	資料
合 常用			名稱	^	修改日期	類型	大小			
車周 【】 面臭 ■ 速不 ↓		*		遺伝	a箕科灰是空的。					
🔤 文件		*						workSpace (0 個項目)		
🚬 園片		* '								_
● 音樂		*						<ul> <li>選取單一檔案以取得調</li> <li>共用您的雲端內容。</li> </ul>	F 細 資 訊 I	Z
● 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		*								

2. 在按住Shift並點下滑鼠右鍵,按下[在終端中開啟(T)]/(Shift+滑鼠右鍵+T)[]

💼 workSpace		× +				-		×
$\leftarrow \rightarrow \prime$	D C	✓ 開始備份 > workSpace	ce			搜尋 workSpace		۹
		ñ 4) 6 1)	↑↓ 排序 ~ ─ ■ 檢視 ~				🗋 詳細語	資料
合 常用		名稱	修改日期	類型	大小			
🗾 国庫			這個資料夾是空的。					
置奥 ■	*			檢視(\∕) 排序方式(O)	>			
文件	*		1	分組方式(P) 重新整理(E)	>			
🔀 園片	*			自訂此資料夾(F)		workSpace (0 個項目)		
🕑 音樂	*		ļ	貼上(P)		● 選取單一檔案以取得許	細資訊並	ż
▶ 影片	*		<b>1</b> 2 <b>1</b> - 3	復 重 重 新 念 タ(1) C+d → 在 終端中 開 啟(T)	7	- 共用您的雲端内容。		
📒 git網站用圖				Upen Git GUI here	-			
0 個項目			× <b>1</b>	以 Code 開啟			[	

3. 打開資工系計中GitLab網站並登入,進入到Group-G00-ezPaint的Repository[]點擊[code]]上面會有 Clone with HTTPS 的文字,點選旁邊的[ Copy URL ]可以將網址複製到剪貼簿。

⊌ □ + 🎲	Software-Engineering / 2024-Fall-SE / G00 / ezPaint			
Q Search or go to	E ezPaint <sup>(1)</sup>		(	Δ → A Star 0 ¥ Fork 0 :
Project	₽ main マ ezpaint / + マ		History Find file Edit • Code •	Project information
E ezPaint Pinned ~ Issues 0	first init Jun Wu authored 3 days ago		Clone with SSH git@git.csie2.nptu.edu.tw:Softwa	->- 3 Commits \$* 1 Branch
Merge requests	Name	Last commit	https://git.csie2.nptu.edu.tw/So 🛱	🖉 0 Tags
රී6 Manage >	□ src/ezpaint	first init	Open in your IDE Visual Studio Code (SSH) Visual Studio Code (HTTPS) IntelliJ IDEA (SSH) IntelliJ IDEA (HTTPS)	README
🛱 Plan >	Classpath	first init		Created on
Code >	♦ .gitignore	first init		September 06, 2024
Build	5 .project	first init		
Operate >	** README.md	Update README.md	Download source code	
靈 Monitor >	README.md		tar.gz	
ilii Analyze >			tar.bz2	
	ezPaint		tar	
	此為算大資工員桌後老師的軟體工程課程示	範専案・		
	Getting started			

#### 4. 在剛剛打開的終端機中打入git clone

https://git.csie2.nptu.edu.tw/Software-Engineering/2024-fall-se/g00/ezpa int.git (git clone 剛剛複製剪貼的內容)。

Windows PowerShell 著作權(C) Microsoft Corporation。保留擁有權利。 安裝最新的 PowerShell 以取得新功能和改進功能!https://aka.ms/PSWindows PS \Desktop\workSpace> git clone https://git.csie2.nptu.edu.tw/Software-Engineering/2024-fall-se/g00/ezp aint.git	2 Windows PowerShell X + v	_	- 0	×
安装最新的 PowerShell 以取得新功能和改進功能!https://aka.ms/PSWindows ps	Windows PowerShell 著作權(C) Microsoft Corporation。保留擁有權利。			
<pre>PS \Desktop\workSpace&gt; git clone https://git.csie2.nptu.edu.tw/Software-Engineering/2024-fall-se/g00/ezp aint.git </pre>	安裝最新的 PowerShell 以取得新功能和改進功能!https://aka.ms/PSWindows			
	<pre>PS \Desktop\workSpace&gt; git clone https://git.csie2.nptu.edu.tw/Software-Engineering/2024 aint.gitj</pre>	-fall-	se/g00/	ézp

5. 輸入完以上指令後即設定完成[]Repository內容將下載至資料夾中。



### 建立-GitLab-上的-Repository

1. 進入G0?這個 Group 後,點下[new Project]/[Create new Project]來建立新的Project[]

😝 🛛 🗆 🖶 🎲	Settimenting reserve (J. 2026 Feb. 57. J. 000
o n B	
Q, Search or go to	
Group	Subgroups and projects Shared projects Interfine
0 000	
₿ Pinned ~	③ *     Search () character minimum)     Q_1     Here *     Th_1
issues (8)	
Merge requests (8)	
🔁 Marage 🔷 🗧	Create new subgroup Create new project
ti Pian >	Compact and the back way to manage widing projects and     Compact and the back way to manage widing projects and     Compact and there is an other your other, access likely, and
code >	
¢? 8⊎83 →	
@ Deploy >	
Operate	

2. 選擇[Create blank project]]

₩ I	ם + 🏶	000 / New project							
D n	в								
Q Search or go	o to		Create new project						
Group									
C 099									
# Pinned	v		<u>_</u>	Create blank project	- In	Create from template			
lasuas	۲		(+)	Create a blank project to store your files, plan your	(+)*	Create a project pre-pepulated with the necessary			
Morge requests				work, and collaborate on code, among other things.		files to get you started quickly.			
da Manage	>								
53 Plan									
4 Code	>								
🖉 Build	>								
@ Deploy			a ch	Import project					
Operate	>	5		Migrate your clash from an external source like Giblub, Biblocket, or another instance of GitLab.					
				You can also create a project from	the command line. Show comman	d			

3. 請在 Project name 的部分打上各組專案名稱,並按下[Create Project]]

4		E	1 + 🏶	018 / New policit / Oware Mark project
	D Q, Sour	n th or go	B 10	Create blank project     Oreste a blank project to store your files, plan your work, and collaborate an code, among other things.
0	009 Pinned Issues			Highes notice     eacy/blaw     Muse array with a however or expension a water of pl, omely, or enders core. Can also contain dots, physes, stoches, or spaces.
	Merge req	06575	0	Project slag
0	Manage		2	MipsUgitosiežinptundutivi Software-Engineering/2024-fait-sorg69 + / / eazydraw
e	Plan		>	Vicibility Level 😗
d	Cone			O Viviate Project access must be granted explicitly to each user. If this project is part of a group, access is granted to members of the group.
4	Build			
e	Deploy		2	The project can use accesses by any suggest in cost ancipe execute costs.
-9	Operate			The project can be accessed without any authentication.
				Project Configuration
				Initialize repeatory with a README Allows you to insmediately clone this project's repository. Skip this if you plan to push up an existing repeatory.
				<ul> <li>Enable Static Application Security Testing (SAST) Analyze your searce code for known security vulnerabilities. Learn more.</li> </ul>
				Create project Cancel

4. 完成 Project 建立後即會看到此畫面。

• •	+ 🎡	Software-Engineering / 2024-Fall-SE / G99 / eazyDraw	
D 13	ß	Project 'eazy/Draw' was successfully created	×
Q Search or go to		Project eazyonaw was successivily created.	^
roject		E eazyDraw	△ ~ ☆ Star 0 ♀ Fork 0 :
E eazyDraw		Prain v eazydraw / + v	Project information
🖈 Pinned	~		
Issues	0	Initial commit	-o- 1 Commit
Merge requests	0	bbb113020 authored just now	₿ <sup>9</sup> 1 Branch
🖧 Manage	>	Name Lastanada (astronom)	⊘ 0 Tags
코 Plan	>	Name Last commit Last update	B 3 KIB Project Storage
V> Code	>	HA README.md Initial commit just now	README
🥝 Build	>	B README.md	+ Add LICENSE
♥ Secure	>		+ Add CHANGELOG
ල Deploy	>	eazvDraw	+ Add CONTRIBUTING + Enable Auto DevOps
Operate	>		
Monitor	>	Getting started	+ Add Kubernetes cluster
🚇 Analyze	>	To make it easy for you to get started with GitLab, here's a list of recommended next steps.	+ Set up CI/CD + Add Wiki
Settings	>	Already a pro? Just edit this README.md and make it your own. Want to make it easy? Use the template at the bottom!	+ Configure Integrations
		Add your files	Created on
		Create or upload files Add files using the command line or push an existing Git repository with the following command:	October 11, 2024
		cd existing_repo git remote add origin https://git.csie2.nptu.edu.tw/Software-Engineering/2024-fall-se/g99/eazydraw.gi git pranch -M main nit nuch -uf origin main	

# [Eclipse]

### 安裝-Eclipse

1. 前往 Eclipse 下載網站並按下[Windows x86\_64][]



2. 按下[Download]]跳轉畫面並等待下載。



3. 下載完成後打開安裝程式,選擇[Eclipse IDE for Java Developers]來進行安裝。



4. 選擇[Java Development Kit (JDK) 22.0.2][]按下[Install][]



5. 等候安裝完成並按下[LAUNCH][]



## Eclipse

#### 相關學習資源 Connect Eclipse To GitLab

1. 打開Eclipse之後會跳出此視窗要求選擇 Workspace 資料夾,選一個自己喜歡的資料夾來使用。



摄取量

2. 開啟Eclipse軟體之後,點選左上角[File]→[Import][]



3. 選擇[git]→[Projects from Git]→[Next][]



۲	workSpace - Eclipse	IDE					_		$\times$
<u>F</u> ile	Edit Navigate	Se <u>a</u> rch	Project	Bun Window Help					
8	◆ 🔄 🗟 : 🗢 ♀ ③ Welcome ×	·: ** *	0.4	Select Repository Source			A"	-< :⊞ Ar	
影	ecl	inc	A 1	Select a location of Git Repositories		1			^
		ip5	C	type filter text				Hide	
				Clone URI					
	•	Rev	view IDE						
		Kev	iew the ID		Tes				
	ö	Cre A gi	eate a H						
		Wor	ld in Eclips						
	0	Cre	eate a ne	$\mathbf{\lambda}$					
		CIE	ate a new .						
		Che Che	eckout p	A Contraction of the second seco					
				Cancel					
	*	Im Imp	port exis	TING PROJECTS DEclipse projects from the filesystem					
		or a	rchive						
		Lau Enh	unch the	Eclipse Marketplace					
		you	r Marketpl	ace favorites		ways show W	/elcom	e at start	up 🗡

5. 打開資工系計中GitLab網站並登入,進入到Group-G99-eazyDraw的Repository[]點擊[code][]上面 會有 Clone with HTTPS 的文字 , 點選旁邊的[ Copy URL ]可以將網址複製到剪貼簿。

🤟 🛛 + 🎲	Software-Engineering / 2024-Fall-SE / G00 / ezPaint			
Q Search or go to	E ezPaint 0		(	Δ ~ Xtar 0 ¥ Fork 0 :
Project	₽ main ~ ezpaint / + ~		History Find file Edit - Code -	Project information
E ezPaint	first init Jun Wu authored 3 days ago		Clone with SSH git@git.csie2.nptu.edu.tw:Softwa	-o- 3 Commits § <sup>2</sup> 1 Branch
Merge requests 0	Name	Last commit	https://git.csie2.nptu.edu.tw/So 🛱	Ø Tags
රිරි Manage >	🗁 src/ezpaint	Open in your IDE	README	
🛱 Plan >	Casspath	first init	Visual Studio Code (HTTPS)	Created on
Code >	♦ .gitignore	first init	IntelliJ IDEA (SSH)	September 06, 2024
Build	🔁 .project	first init	IntelliJ IDEA (HTTPS)	
Operate >	*** README.md	Update README.md	Download source code	
Monitor >	README.md		tar.gz	
i Analyze >	ezPaint		tar.bz2 tar	
	此為厚大寶工吳卓俊老師的軟體工程課程引	「範導案・		
	Getting started			

6. URI填入剛剛複製到剪貼簿的內容,填上 GitLab 的帳號以及密碼在 User Password[]按下[Next]]

In the gavages send type: Upper monothyper type: type type: typ	City Cults Mandanata	Carach Desirat D	a Medau IIda							0	
Surce Git Repository   Inter the location of the source repository.                             <			Import Projects from Git				×		0	: : 😭	患
Image: Construction   Hori: Hor	B Welcome X	inse	Source Git Repository	epository.		GI	T	<u>Å</u> <	- 		5
Review the ID       Connection         Protocol:       https         Port:       Port:         A duthentication       User:         User:       bbb113020         Dessword:       ••••••••••••••••••••••••••••••••••••	ecii	Review IDE	Location URI: <u>1</u> 4-fall-se/g00 <u>H</u> ost: git.csie2.nptu <u>R</u> epository path: /Software-En	D/ezpaint.git Local F du.tw neering/2024-fall-se	older Local B e/g00/ezpaint.git	undle File				Hide	
A guided walkt World in Eclips Create a new J Create a new	<b>a</b> n	Review the IDF	Connection Protocol: https  Port:				re	25			
Create a new		A guided walkt World in Eclips	Authentication User: bbb113020 Password:								
Checkout Edip Checkout Edip Checkout Edip Checkout Edip Checkout Edip Checkout Edip Checkout Edip Cancel Launch the Eclipse Marketplace Enhance your IDE with additional plugins and install your Marketplace favorites		Create a new J	U_2tore in Secure store								
Import existing Edipse projects     Import existing Edipse projects from the filesystem     or archive     Launch the Eclipse Marketplace     Enhance your IDE with additional plugins and install     your Marketplace favorites     Aways show Welcome at start up		Checkout Eclip	? < Back	Next >	Einish	Cance					
Launch the Eclipse Marketplace Enhance your IDE with additional plugins and install your Marketplace favorites	*	Import existing Import existing or archive	Eclipse projects from the filesys	stem							
	*	Launch the E Enhance your ID your Marketplac	Clipse Marketplace E with additional plugins and ir e favorites	nstall				Always sl	how Welcome	at start up	,

7. 需要勾選 main 這個分支再按下[Next][]

workSpace - Eclipse IDE		>	<
<u>File Edit Navigate Search Project</u>	<u> R</u> un <u>W</u> indow <u>H</u> elp		
📑 • 🗟 🕼 🖓 😒 🗱 • 🛈 • 💁	E Import Projects from Git	Q   😫	망
🖉 🚱 Welcome 🗙	Branch Selection	🏠 🗘 🗘 🕂 🛣 🗖	8
🕷 eclipse	Select branches to clone from remote repository. Remote tracking branches will be created to track updates for these branches in the remote		^
Cempse	Branches of https://git.csie2.nptu.edu.tw/Software-Engineering/2024-fall-se/g00/ezpai	Hide	
	type filter text		
	🖉 🚸 main		
🚓 🛛 Review IDI			
Review the ID	E	res	
💾 🛉 Create a H	e		
A guided walk World in Eclips	Select All Deselect All		
	Tag fetching strategy		
Create a n	• When fetching a commit, aro fetch its tags		
Create a new	<ul> <li>Petch all tags and their commits</li> <li>Don't fetch any tags</li> </ul>		
Checkout p			
Checkout Eclip		-	
	Back         Next >         Einish         Cancel		
🛃 🕹 Import exis	sting projects		
Import existin or archive	g Eclipse projects from the filesystem		
Launch the	Eclipse Marketplace		
Enhance your	IDE with additional plugins and install		U
your Marketpl	ace ravorites	Always snow weicome at start up	

8. 按下[Browse]選擇下載存檔到我們的Workspace[]按下[Next][]



9. 看到以下畫面,選擇 Import Existing Eclipse projects□按下[Next]→[Finish]□



10. 完成後會看到左邊已經將 GitLab 的儲存庫下載下來了。



11. 如果沒有出現左邊分頁可以[Window]→[Show View]→[Project Explorer][]

workSpace - Eclipse IDE										- 0	×
<u>File Edit Navigate Search Project</u>	<u>R</u> un <u>W</u> indow <u>H</u> elp										
<b>□ -</b> , , , , , , , , , , , , , , , , , ,	- Q New Windo	w	📃 🔌 🖢 = 🖗 =	******						Q	🗈   💐
	Editor	>				🔳 Task List 🗙			🖓 Welcome × 👘 ⇔		
	Appenrance	>				r + 📴 👳	2 × 8 = 3	1			
	Show View	>	条 Ant			8			Overview		
	Perspective	>	Bytecode			Find	All Activate	0	Get an overview of	the features	
	Navigation		Console	Alt+Shift+Q, C				0			
	Navigation		Declaration	Alt+Shift+Q, D					Tutorials		
	Preferences		🤨 Error Log	Alt+Shift+Q, L					Go through tutorial	S	
			@ Javadoc	Alt+Shift+Q, J							
			E Outline	Alt+Shift+Q, O		(i) Connect My	ylyn	×	*** Samples		
		- L	Package Explorer	Alt+Shift+Q, P		Connect to y	our task and ALM tool	s or	Try out the sample	s	
			Problems	Alt+Shift+Q, X		<u>create</u> a loca	l task.				
			Progress			₽ Outline ×	5° 8 🗖		🔗 What's New		
		L	Project Explorer	Alter Claute ( A) C	There is no active editor that provides an	Find out what is new					
			✓ Search ■ Tack List	Alt+Shift+Q, S		outline.					
			🗐 Tasks	Alt+Shirt+Q, K						222	
	Open a file or drop file	s here to o	Templates						eciii 🚍 eciii	use	
	Find Actions	Ctrl+3	Terminal								
	Show Key Assist	Ctrl+Shift+	2 Type Hierarchy	Alt+Shift+Q, T							
	Open Type	Ctrl+Shift+	Other								
			Other	Ait+Shift+Q, Q							
Problems X @ Javadoc 😥 Declara	ation						7 5 8 -				
0 errors, 1 warning, 0 others	Deserves	Death	I section.	Terre				_			
Margings (1 item)	Resource	Path	Location	туре							
y 🤐 wannigs (ritern)											
											1 9

From: https://junwu.nptu.edu.tw/dokuwiki/ - Jun Wu的教學網頁 國立屏東大學資訊工程學系 CSIE, NPTU Total: 204551

Permanent link: https://junwu.nptu.edu.tw/dokuwiki/doku.php?id=se:tools:guide



Last update: 2024/10/10 23:56